UNIFORM HAZARDOUS	1. Generator's US EPA I		Manifest Document No.	2. F	age 1 Info	rmation in the	he shaded ar
WASTE MANIFEST	C141010181615	<u> </u>	10121012				by Federal la
<ol> <li>Generator's Name and Mailing Address Douglas Aircraft Comp</li> </ol>			-10	A. Sta	te Manifest Do	cument Num	nber 2.1.5
19503 S. Normandie Av	그들이 그렇게 하나 아니 아이를 하는 것이다.			1	te Generator's		Tout asker Net
. Generator's Phone ( 213 783-59 . Transporter 1 Company Name	<u>28 or 213-533-</u> 6.	·7231 US EPA ID Numb	per	and the second second	A   H   O   3 ite Transporter		<u> [5] 6] 91</u>
JCI Environmental Ser	vices ICTA	VID1015181011		3670692186	nsporter's Pho	IIV	<u>⊄/ 3-/</u> 268+313
7. Transporter 2 Company Name	8.	US EPA ID Numb		B0804560000	te Transporter'		
9. Designated Facility Name and Site Addre	ss 10	US EPA ID Numb		1000000	nsporter's Pho ite Facility's ID	ne	
Chem-Tech Systems, In				100000000	1.41 71.01 8	1003	ા ગાલા
\ 3650 E. 26th Street \ Vernon, CA\90023					cility's Phone		1_21 - 18 1
TETROIT, UNIQUES	ICIA	<u> </u>	13 6 8 1 12 Cont		13-268-3		<del></del>
1. US DOT Description (Including Proper S	hipping Name, Hazard Clas	ss, and ID Number)	No.	Type	Quantity	/ 14. / Unit Wt/Vol	Wasi
Non-RCRA, Hazardous W	aste liquid						State 195
	and the second s		01013	77.1.17	America	1	EPA/Other
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			VIVII	111	<u> 4   61 / 11 / 11 / 11 / 11 / 11 / 11 / 11</u>	14 6	N/R State
							EPA/Other
					111.	Щ	State
					Î.L.L.		EPA/Other
		4.454					State
		generalis el es production de production de la company					EPA/Other
<ul> <li>Vibrator-Deburrer w Polyester plastic, ceramic abrasives, corrosion inhibitor</li> </ul>	<pre>silicon dioxid fused aluminum</pre>	ie. N-2N%	rousel	a. C.	<u>K</u>	d. 3	isted Above
rolyester plastic, ceramic abrasives, corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra  In case of accident	silicon dioxid fused aluminum 01% onal Information nt 0-1% wate	le, 0-20% 1 oxide or 78.9-100%	24-0200	c.	II Wo	d. #= 5374	
ceramic abrasives, corrosion inhibitor is. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, reby declare that the contest labeled, and are in all restricted the practic thand the environment; Of	le, 0-20% oxide  r 78.9-100% rec at 800-4 eeturn to generate the consignment expects in proper condition place to reduce the voluments, if I am a small quantity	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of atte.  ar shipping natinternational of I have deterwhich minimize
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certi to be economically practicable and that present and future threat to human heal generation and select the best waste m	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, reby declare that the contest labeled, and are in all restricted the practic thand the environment; Of	le, 0-20% oxide  r 78.9-100% rec at 800-4 eeturn to generate the consignment expects in proper condition place to reduce the voluments, if I am a small quantity	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of atte.  ar shipping na international to have deter which minimization minimize my was
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name	silicon dioxid fused aluminum 01% on al Information on to 0-1% water contact Chemit to deliver, reply declare that the context labeled, and are in all restricted than the environment; of an agement method that is	le, 0-20% oxide  r 78.9-100% rec at 800-4 return to generate of this consignment spects in proper condition place to reduce the volcable method of treatments, if I am a small quantity	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of atte.  ar shipping natinternational to have deter which minimizatimize my wa
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident Waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I cert to be economically practicable and that present and future threat to human heal	silicon dioxid fused aluminum 01% on al Information on to 0-1% water contact Chemit to deliver, reply declare that the context labeled, and are in all restricted than the environment; of an agement method that is	le, 0-20% oxide  r 78.9-100% rec at 800-4 return to generate of this consignment spects in proper condition place to reduce the volcable method of treatments, if I am a small quantity	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of ate.  er shipping na international of the ate of the control of the cont
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certi to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  Printed/Typed Name  Printed/Typed Name	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, replayed and are in all restricted and the environment; of an agement method that is	le, 0-20% I oxide  oxid	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of ate.  ar shipping national international of the control o
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certi to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  17. Transporter 1 Acknowledgement of Receivers and future threat to human heal generation and select the best waste m  Printed/Typed Name	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, replayed and are in all restricted and the environment; of an agement method that is	le, 0-20% I oxide  oxid	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of atte.  In shipping national international interna
Ceramic abrasives, corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certi to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  Printed/Typed Name  Printed/Typed Name	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, replayed and are in all restricted and the environment; of an agement method that is	le, 0-20% I oxide  oxid	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	ot wash ne is ap  described abo ay according to	d. d	Sewer of ate.  ar shipping natinternational international
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certi to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  17. Transporter 1 Acknowledgement of Receivers and future threat to human heal generation and select the best waste m  Printed/Typed Name	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, replayed and are in all restricted and the environment; of an agement method that is	le, 0-20% I oxide  oxid	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	not wash me is ap  described abo ay according to the generated to currently availate a good faith	d d d d d d d d d d d d d d d d d d d	Sewer of ate.  ar shipping natinternational international
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certified be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  17. Transporter 1 Acknowledgement of Received  18. Transporter 2 Acknowledgement of Received  19. Transporter 2 Acknowledgement of Received	silicon dioxide fused aluminum 01% on all Information on the Contact Chemit to deliver, replayed and are in all restricted and the environment; of an agement method that is	le, 0-20% I oxide  oxid	24-9300. erator. are fully and acon for transport to transport to the series of the se	DO I	not wash me is ap  described abo ay according to the generated to currently availate a good faith	d. d	Sewer of ate.  ar shipping natinternational international
Ceramic abrasives, Corrosion inhibitor  15. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  16.  GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certit to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  17. Transporter 1 Acknowledgement of Rece Printed/Typed Name  18. Transporter 2 Acknowledgement of Rece Printed/Typed Name  19. Discrepancy Indication Space	silicon dioxide fused aluminum 0-1% on 18	le, 0-20% I oxide  oxid	24-9300. erator.  are fully and acon for transport to the storage, or by generator. I had a storage to the stor	Do I Volum courately by highway of was disposal ave mad	ot wash ne is ap  described abo ay according to the generated to currently availa e a good faith	d d d d d d d d d d d d d d d d d d d	Sewer of ate.  ar shipping natinternational international
Ceramic abrasives, Corrosion inhibitor  5. Special Handling Instructions and Addition Fluorescent penetra In case of accident waterway. If unable  6.  GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations.  If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human heal generation and select the best waste m  Printed/Typed Name  Transporter 1 Acknowledgement of Receiverinted/Typed Name  8. Transporter 2 Acknowledgement of Receiverinted/Typed Name	silicon dioxide fused aluminum 0-1% on 18	le, 0-20% I oxide  oxid	24-9300. erator.  are fully and acon for transport to the storage, or by generator. I had a storage to the stor	Do I Volum courately by highway of was disposal ave mad	ot wash ne is ap  described abo ay according to the generated to currently availa e a good faith	d d d d d d d d d d d d d d d d d d d	Sewer of atte.  In shipping national international interna

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

DHS 8022 A (1/88)

1-800-852-7550

CALL

CALIFORNIA

CENTER 1-800-424-8802;

SE

NATIONAL

CALL THE

OR SPILL,

EMERGENCY

¥

P

CASE

Ó **NITLIM** 

 $\infty$ 

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.

Printed/Typed Name

Do Not Write Below This Line

Signature

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Month Day

Year

## CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS AIRCRAFT COMPANY

FOR

MANIFEST NUMBER 89479315

DATE RECEIVED DECEMBER 21, 1990

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SYSTEMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Los Angeles County.

When the above described material is accepted by CHEM-TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will issue this certificate that all material has been handled in accordance with applicable permits, and the certificate holder's liability has been terminated.



CHEM-TECH SYSTEMS, INC.
a commitment to a clean environment

DECEMBER 21, 1990

DATE

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023

(213) 268-5056 • FAX: (213) 268-9672

## INCORPORATED

## WORK ORDER

55/4

EPA NO. **CAD 058018367** FED. TAX NO. **XR 95 - 2769288** WASTE HAULER NO. **139** 

•		"	11	•	,,	•		-	,								(	21.	S) 2	86	313	7		
																					7			
												_									4.6%			
2	900	_	•			1		1	- 24	۲.	4	(3	927	100	/									
г	111			2825		44	Name of	4	"	(Black		~	щ	land.	al.	-	-				-			
																							7	
ŀ		0	วเ	) t		26	ith		TE	) F	∓Τ		1	٦c		M	$\alpha$	210		0	AC	100	100	Ś
,	100		13.17			702		17.00					~~	,,,			u		_,	, u	AS	JUU	16	3

SHIPPER	MINIMELL,	IXXX.		*		TIME:	1500	
	19503 80.	NORMAL	DIE A	<b>11.</b>		DATE:	DECEMBER 20)	199
	TORRANCE,	CALIF.				P.O. NUMBER	2018 201 2010 - 4010 2017 2017 2017 101 - 222	
BILLING ADDRESS _	MOONING.	DODGE	S COMP	*		RELEASE NO.		
	0827. 2971	.10331-	202/2.	O. PON	2731	CONTACT		
				201		PHONE NO.	INSUL MORE CORE	
JOB ADDRESS	MIANNELL.	DOUGLA	S CORP	*		JOB NO.	00.33.3016	
	19503 80.	W. See A. S.	DIE AV	<b>5.</b>				
	TORRANTE,	CALIF.				CONTACT	(213) 783-592	
						PHONE	·	
ORIGIN	TROMES						1.03 ANGELES	
COMMODITY						DESTINATION		Ng.
WORK PERFORMED				A state of the		MANIFEST NO	<u>89477355</u> and transport to	
A Grill I Eril Grilled	Gillet med				The state of the s	The first of the first of the property of the		
		ATE PRO	PERTY					
NO. LOADS	PRIVA	ATE PRO	PERTY		CAPA	CITY <u>5000-</u>		
RUCK NO. <u>316</u> START	PRIVA TRAILE	ATE PRO	PERTY		CAPA	CITY <u>5000-</u>		
RUCK NO. 316	PRIVA TRAILE S LOCATION	ATE PRO	PERTY		CAPA	CITY <u>5000-</u>		
RUCK NOSTARTOPERATION	PRIVA TRAILE S LOCATION	TE PRO	PERTY  T-/  FINISH		CAPA	CITY <u>SOOG</u> GROSS HOURS		
RUCK NOSTARTOPERATION	PRIVA TRAILE S LOCATION	TE PRO ER NO STOP START  /400	PERTY		CAPA	GROSS HOURS  TRUCKING DISPOSAL	CHARGES	
RUCK NOSTARTOPERATION	PRIVA TRAILE S LOCATION	TE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL	CHARGES FEE T	
RUCK NO START OPERATION TRAVEL DAG	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE	CHARGES FEE T CARRYING	
RUCK NO START OPERATION TRAVEL DAG	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING	
RUCK NOSTARTOPERATION	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE	CHARGES FEE T CARRYING	
RUCK NO START OPERATION TRAVEL DAG	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING	
RUCK NO. 316.  START OPERATION  TRAVEL DAG	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING	
RUCK NO START OPERATION TRAVEL DAG	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR	CHARGES FEE T CARRYING	
RUCK NO.  START  OPERATION  LAC  TRACE	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR OTHER	CHARGES FEE T CARRYING	
TOTAL HOURS	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAR OTHER  TOTAL CH	CHARGES FEE T CARRYING	
TOTAL HOURS MINUS DOWN TIME	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAF OTHER  TOTAL CH	CHARGES FEE T CARRYING	
TRUCK NOSTARTOPERATION	PRIVA TRAILE S LOCATION	ATE PRO	PERTY  T-/  FINISH		CAPA	GROSS HOURS  TRUCKING DISPOSAL WASH OU DISPOSAL CHARGE SURCHAF OTHER  TOTAL CH	CHARGES FEE T CARRYING	